ACLTIVANTE EXT TRIAS EWY SECONARITES DEDE OF HESTEN

MIDOAL DUA

PRINTED: 06/09/2016 FORM APPROVED

AND PLAN	NT OF DEFICIENCIES N OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01 - MAIN BUILDING 01		(X3) DAT	(X3) DATE SURVEY	
			B. WING		COM	APLET8D	
		TN7701			ne	06/06/2016	
			DORESS, CITY, STATE, ZIP CODE		1 00	. 0010012010	
IHC HE	ALTHCARE, SEQUAT	CHIE 380 DELI	L TRAIL, PO E				
(X4) ID	SUMMARY STO	TEMENT OF DEFICIENCIES	, TN 37327	<u> </u>			
PREFIX TAC	(EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		PREFIX TAG	PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION CROSS REPERENCED TO THE DEFICIENCY)	TION SHOULD BE COMPLETE THE APPROPRIATE DATE		
	1200-8-6 No Deficiencies		N 002		-	<del> </del>	
	During the Life Safety portion of the annual Licensure survey conducted on 6/6/16, no deficiencies were cited under 1200-08-6, Standards for Nursing Homes.						
					}   		
					Í		
					1		
		ļ					
of Health	Care Facilities			<del></del>	1	İ	
ORY DIR	ECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATI			<del></del>		